



# FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

NORTHEAST DISTRICT  
7777 BAYMEADOWS WAY WEST, SUITE 100  
JACKSONVILLE, FLORIDA 32256

RICK SCOTT  
GOVERNOR

JENNIFER CARROLL  
LT. GOVERNOR

HERSCHEL T. VINYARD JR.  
SECRETARY

## MEMORANDUM

**TO: WWTF PERMITTEE AND OPERATOR**  
**FROM: FDEP – NORTHEAST DISTRICT**  
**SUBJECT: ELECTRONIC DISCHARGE MONITORING REPORT**  
**DATE: NOVEMBER 2, 2012**

---

Attached is the hard copy Discharge Monitoring Report (DMR) for your facility. However as part of the Department's ongoing efforts to improve business processes, we have been working with members of the regulated community to provide new and more efficient paperless alternatives for environmental reporting by utilizing electronic submittal via the internet.

The Department's web-enabled electronic DMR (eDMR) system offers the advantage of less process for the regulated community. By offering several streamlined reporting options, the system offers significant labor savings for both the Department and the regulated community. Most importantly, while saving these costs, the system also increases timeliness.

**All wastewater facilities should strongly consider participating in eDMR.** Most wastewater facilities are required to submit to the Department a monthly DMR which typically summarizes effluent quality or groundwater monitoring well results. eDMR simply provides an alternative way for facilities to submit these wastewater reports. Using an electronic process for submitting reports can represent significant labor savings while greatly increasing the data entry efficiency, accuracy, and overall reliability of this information.

Some of the benefits of eDMRs and the eDMR System include:

- Save wastewater discharge facilities compliance costs with a streamlined reporting method and readily available computer tools,
- Save program costs by reducing resources required for managing paper-based DMRs,
- Improve accuracy of compliance data by eliminating potential errors that might otherwise be introduced through manual data entry in the database, and
- Improve the DEP wastewater program's overall effectiveness with faster responses to data analyses, compliance assessment, and decision-making.

To sign-up for eDMR, please contact the eDMR administrator in Tallahassee by phone at (850) 245-8567 or by email at [edmradmin@dep.state.fl.us](mailto:edmradmin@dep.state.fl.us)

Thank you in advance for your participation.

**DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A**

**When Completed mail this report to:** Department of Environmental Protection, Wastewater Compliance Evaluation Section, MS 3540, 2600 Blair Stone Road, Tallahassee, FL 32399-2400

PERMITTEE NAME: City of Lake City Regional Utility  
 MAILING ADDRESS: 205 N. Marion Ave.  
 Lake City, Florida 32055

PERMIT NUMBER: FLA113956

LIMIT: Final  
 CLASS SIZE: N/A

REPORT: Annual  
 GROUP: Domestic

FACILITY: St. Margaret WWTF  
 LOCATION: 527 St. Margaret Street  
 Lake City, Florida 32025

MONITORING GROUP NUMBER: PRT-I  
 MONITORING GROUP DESC: Influent Pretreatment

COUNTY: Columbia

NO DISCHARGE FROM SITE:   
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement									
PARM Code 00400 G Mon.Site No. PRT-I	Permit Requirement			Report (Min.)		Report (Max.)	SU		Annual	Grab
Oil and Grease, hexane extr method	Sample Measurement									
PARM Code 00552 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)		Report (Max.)	MG/L		Annual	Grab
Benzene	Sample Measurement									
PARM Code 34030 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)		Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Bromoform	Sample Measurement									
PARM Code 32104 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)		Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Carbon tetrachloride	Sample Measurement									
PARM Code 32102 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)		Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Chlorobenzene	Sample Measurement									
PARM Code 34301 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)		Report (Max.)	UG/L		Annual	4 grabs/16 hr.period

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Chlorodibromomethane	Sample Measurement								
PARM Code 34306 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Chloroethane, Total Weight	Sample Measurement								
PARM Code 34311 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
2-chloroethyl vinyl ether (mixed)	Sample Measurement								
PARM Code 34576 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Chloroform	Sample Measurement								
PARM Code 32106 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Dichlorobromomethane	Sample Measurement								
PARM Code 32101 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
1,1-dichloroethane	Sample Measurement								
PARM Code 34496 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
1,2-dichloroethane	Sample Measurement								
PARM Code 32103 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
1,1-dichloroethylene	Sample Measurement								
PARM Code 34501 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
1,2-dichloropropane	Sample Measurement								
PARM Code 34541 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
1,3-dichloropropene	Sample Measurement								
PARM Code 77163 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Ethylbenzene	Sample Measurement								
PARM Code 34371 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Methyl bromide	Sample Measurement								
PARM Code 34413 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Methyl chloride	Sample Measurement								
PARM Code 34418 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Methylene chloride	Sample Measurement								
PARM Code 34423 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
1,1,2,2-tetrachloroethane	Sample Measurement								
PARM Code 34516 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Tetrachloroethylene	Sample Measurement								
PARM Code 34475 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Toluene	Sample Measurement								
PARM Code 34010 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
1,2-trans-dichloroethylene	Sample Measurement								
PARM Code 34546 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
1,1,1-trichloroethane	Sample Measurement								
PARM Code 34506 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
1,1,2-trichloroethane	Sample Measurement								
PARM Code 34511 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Trichloroethylene	Sample Measurement								
PARM Code 39180 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Vinyl chloride	Sample Measurement								
PARM Code 39175 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
2-chlorophenol	Sample Measurement								
PARM Code 34586 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
2,4-dichlorophenol	Sample Measurement								
PARM Code 34601 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
2,4-dimethylphenol	Sample Measurement								
PARM Code 34606 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4,6-dinitro-o-cresol	Sample Measurement								
PARM Code 34657 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
2,4-dinitrophenol	Sample Measurement								
PARM Code 34616 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
2-nitrophenol	Sample Measurement								
PARM Code 34591 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4-nitrophenol	Sample Measurement								
PARM Code 34646 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
p-chloro-m-cresol	Sample Measurement								
PARM Code 82627 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Pentachlorophenol	Sample Measurement								
PARM Code 39032 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Phenol, Single Compound	Sample Measurement								
PARM Code 34694 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
2,4,6-trichlorophenol	Sample Measurement								
PARM Code 34621 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Acenaphthene	Sample Measurement								
PARM Code 34205 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Acenaphthylene	Sample Measurement								
PARM Code 34200 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Anthracene	Sample Measurement								
PARM Code 34220 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Benzidine	Sample Measurement								
PARM Code 39120 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Benzo(a)anthracene	Sample Measurement								
PARM Code 34526 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Benzo(a)pyrene	Sample Measurement								
PARM Code 34247 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Benzo(b)fluoranthene (3,4-benzo)	Sample Measurement								
PARM Code 79531 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Benzo(ghi)perylene	Sample Measurement								
PARM Code 34521 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Benzo(k)fluoranthene	Sample Measurement								
PARM Code 34242 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Bis (2-chloroethoxy) methane	Sample Measurement								
PARM Code 34278 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Bis (2-chloroethyl) ether	Sample Measurement								
PARM Code 34273 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Bis (2-chloroisopropyl) ether	Sample Measurement								
PARM Code 34283 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Bis (2-ethylhexyl) phthalate	Sample Measurement								
PARM Code 39100 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4-bromophenyl phenyl ether	Sample Measurement								
PARM Code 34636 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Butyl benzyl phthalate	Sample Measurement								
PARM Code 34292 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
2-chloronaphthalene	Sample Measurement								
PARM Code 34581 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4-chlorophenyl phenyl ether	Sample Measurement								
PARM Code 34641 G Mon.Site No. PRT-I	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Chrysene	Sample Measurement								
PARM Code 34320 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Dibenzo (a,h) anthracene	Sample Measurement								
PARM Code 34556 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
1,2-dichlorobenzene	Sample Measurement								
PARM Code 34536 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
1,3-dichlorobenzene	Sample Measurement								
PARM Code 34566 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
1,4-dichlorobenzene	Sample Measurement								
PARM Code 34571 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
3,3'-dichlorobenzidine	Sample Measurement								
PARM Code 34631 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Diethyl phthalate	Sample Measurement								
PARM Code 34336 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Dimethyl phthalate	Sample Measurement								
PARM Code 34341 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Di-n-butyl phthalate	Sample Measurement								
PARM Code 39110 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
2,4-dinitrotoluene	Sample Measurement								
PARM Code 34611 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC



**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
2,6-dinitrotoluene	Sample Measurement								
PARM Code 34626 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Di-n-octyl phthalate	Sample Measurement								
PARM Code 34596 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
1,2-diphenylhydrazine	Sample Measurement								
PARM Code 34346 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Fluoranthene	Sample Measurement								
PARM Code 34376 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Fluorene	Sample Measurement								
PARM Code 34381 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Hexachlorobenzene	Sample Measurement								
PARM Code 39700 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Hexachlorobutadiene	Sample Measurement								
PARM Code 39702 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Hexachlorocyclopentadiene	Sample Measurement								
PARM Code 34386 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Hexachloroethane	Sample Measurement								
PARM Code 34396 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Indeno (1,2,3-Cd) pyrene	Sample Measurement								
PARM Code 34403 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Isophorone	Sample Measurement								
PARM Code 34408 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Naphthalene	Sample Measurement								
PARM Code 34696 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Nitrobenzene	Sample Measurement								
PARM Code 34447 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
N-nitrosodimethylamine	Sample Measurement								
PARM Code 34438 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
N-nitrosodi-n-propylamine	Sample Measurement								
PARM Code 34428 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
N-nitrosodiphenylamine	Sample Measurement								
PARM Code 34433 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Phenanthrene	Sample Measurement								
PARM Code 34461 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Pyrene	Sample Measurement								
PARM Code 34469 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
1,2,4-trichlorobenzene	Sample Measurement								
PARM Code 34551 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Aldrin	Sample Measurement								
PARM Code 39330 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Alpha-bhc,	Sample Measurement								
PARM Code 39336 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
B-bhc-beta	Sample Measurement								
PARM Code 39338 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Gamma BHC (Lindane)	Sample Measurement								
PARM Code 39782 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Delta benzene hexachloride	Sample Measurement								
PARM Code 34259 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Chlordane (tech mix. and metabolites)	Sample Measurement								
PARM Code 39350 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4,4'-DDT (p,p'-DDT)	Sample Measurement								
PARM Code 39300 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4,4'-DDE (p,p'-DDE)	Sample Measurement								
PARM Code 39320 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4,4'-DDD (p,p'-DDD)	Sample Measurement								
PARM Code 39310 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Dieldrin	Sample Measurement								
PARM Code 39380 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
A-endosulfan-alpha	Sample Measurement								
PARM Code 34361 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
B-endosulfan-beta	Sample Measurement							
PARM Code 34356 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Endosulfan sulfate	Sample Measurement							
PARM Code 34351 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Endrin	Sample Measurement							
PARM Code 39390 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Endrin aldehyde	Sample Measurement							
PARM Code 34366 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Heptachlor	Sample Measurement							
PARM Code 39410 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Heptachlor epoxide	Sample Measurement							
PARM Code 39420 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
PCB-1242	Sample Measurement							
PARM Code 39496 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
PCB-1254	Sample Measurement							
PARM Code 39504 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
PCB-1221	Sample Measurement							
PARM Code 39488 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
PCB-1232	Sample Measurement							
PARM Code 39492 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
PCB-1248	Sample Measurement								
PARM Code 39500 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
PCB-1260	Sample Measurement								
PARM Code 39508 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
PCB-1016	Sample Measurement								
PARM Code 34671 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Toxaphene	Sample Measurement								
PARM Code 39400 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Antimony, Total Recoverable	Sample Measurement								
PARM Code 01268 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Arsenic, Total Recoverable	Sample Measurement								
PARM Code 00978 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Beryllium, Total Recoverable	Sample Measurement								
PARM Code 00998 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Cadmium, Total Recoverable	Sample Measurement								
PARM Code 01113 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Chromium, Total Recoverable	Sample Measurement								
PARM Code 01118 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Copper, Total Recoverable	Sample Measurement								
PARM Code 01119 Mon.Site No. PRT-I	G Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-I  
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

PERMIT NUMBER: FLA113956

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
					Report (An.Avg.)	Report (Max.)				
Lead, Total Recoverable	Sample Measurement									
PARM Code 01114 G Mon.Site No. PRT-I	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Mercury, Total Recoverable	Sample Measurement									
PARM Code 71901 G Mon.Site No. PRT-I	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Nickel, Total Recoverable	Sample Measurement									
PARM Code 01074 G Mon.Site No. PRT-I	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Selenium, Total Recoverable	Sample Measurement									
PARM Code 00981 G Mon.Site No. PRT-I	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Silver, Total Recoverable	Sample Measurement									
PARM Code 01079 G Mon.Site No. PRT-I	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Thallium, Total Recoverable	Sample Measurement									
PARM Code 00982 G Mon.Site No. PRT-I	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Zinc, Total Recoverable	Sample Measurement									
PARM Code 01094 G Mon.Site No. PRT-I	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Cyanide, Total Recoverable	Sample Measurement									
PARM Code 78248 G Mon.Site No. PRT-I	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Phenolic Compounds, Total Recoverable	Sample Measurement									
PARM Code 70029 G Mon.Site No. PRT-I	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period

**DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A**

**When Completed mail this report to:** Department of Environmental Protection, Wastewater Compliance Evaluation Section, MS 3540, 2600 Blair Stone Road, Tallahassee, FL 32399-2400

PERMITTEE NAME: City of Lake City Regional Utility  
 MAILING ADDRESS: 205 N. Marion Ave.  
 Lake City, Florida 32055

PERMIT NUMBER: FLA113956

LIMIT: Final  
 CLASS SIZE: N/A

REPORT: Annual  
 GROUP: Domestic

FACILITY: St. Margaret WWTF  
 LOCATION: 527 St. Margaret Street  
 Lake City, Florida 32025

MONITORING GROUP NUMBER: PRT-E  
 MONITORING GROUP DESC: Effluent Pretreatment

COUNTY: Columbia

NO DISCHARGE FROM SITE:   
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
					Report (Min.)	Report (Max.)					
pH	Sample Measurement										
PARM Code 00400 1 Mon.Site No. PRT-E	Permit Requirement				Report (Min.)	Report (Max.)	SU		Annual	Grab	
Oil and Grease, hexane extr method	Sample Measurement										
PARM Code 00552 1 Mon.Site No. PRT-E	Permit Requirement				Report (An.Avg.)	Report (Max.)	MG/L		Annual	Grab	
Benzene	Sample Measurement										
PARM Code 34030 1 Mon.Site No. PRT-E	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period	
Bromoform	Sample Measurement										
PARM Code 32104 1 Mon.Site No. PRT-E	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period	
Carbon tetrachloride	Sample Measurement										
PARM Code 32102 1 Mon.Site No. PRT-E	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period	
Chlorobenzene	Sample Measurement										
PARM Code 34301 1 Mon.Site No. PRT-E	Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period	

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
Chlorodibromomethane	Sample Measurement							
PARM Code 34306 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
Chloroethane, Total Weight	Sample Measurement							
PARM Code 34311 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
2-chloroethyl vinyl ether (mixed)	Sample Measurement							
PARM Code 34576 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
Chloroform	Sample Measurement							
PARM Code 32106 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
Dichlorobromomethane	Sample Measurement							
PARM Code 32101 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
1,1-dichloroethane	Sample Measurement							
PARM Code 34496 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
1,2-dichloroethane	Sample Measurement							
PARM Code 32103 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
1,1-dichloroethylene	Sample Measurement							
PARM Code 34501 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
1,2-dichloropropane	Sample Measurement							
PARM Code 34541 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
1,3-dichloropropene	Sample Measurement							
PARM Code 77163 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period



**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
Ethylbenzene	Sample Measurement							
PARM Code 34371 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
Methyl bromide	Sample Measurement							
PARM Code 34413 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
Methyl chloride	Sample Measurement							
PARM Code 34418 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
Methylene chloride	Sample Measurement							
PARM Code 34423 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
1,1,2,2-tetrachloroethane	Sample Measurement							
PARM Code 34516 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
Tetrachloroethylene	Sample Measurement							
PARM Code 34475 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
Toluene	Sample Measurement							
PARM Code 34010 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
1,2-trans-dichloroethylene	Sample Measurement							
PARM Code 34546 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
1,1,1-trichloroethane	Sample Measurement							
PARM Code 34506 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
1,1,2-trichloroethane	Sample Measurement							
PARM Code 34511 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
Trichloroethylene	Sample Measurement							
PARM Code 39180 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
Vinyl chloride	Sample Measurement							
PARM Code 39175 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	4 grabs/16 hr.period
2-chlorophenol	Sample Measurement							
PARM Code 34586 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
2,4-dichlorophenol	Sample Measurement							
PARM Code 34601 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
2,4-dimethylphenol	Sample Measurement							
PARM Code 34606 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
4,6-dinitro-o-cresol	Sample Measurement							
PARM Code 34657 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
2,4-dinitrophenol	Sample Measurement							
PARM Code 34616 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
2-nitrophenol	Sample Measurement							
PARM Code 34591 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
4-nitrophenol	Sample Measurement							
PARM Code 34646 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
p-chloro-m-cresol	Sample Measurement							
PARM Code 82627 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Pentachlorophenol	Sample Measurement								
PARM Code 39032 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Phenol, Single Compound	Sample Measurement								
PARM Code 34694 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
2,4,6-trichlorophenol	Sample Measurement								
PARM Code 34621 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Acenaphthene	Sample Measurement								
PARM Code 34205 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Acenaphthylene	Sample Measurement								
PARM Code 34200 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Anthracene	Sample Measurement								
PARM Code 34220 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Benzidine	Sample Measurement								
PARM Code 39120 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Benzo(a)anthracene	Sample Measurement								
PARM Code 34526 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Benzo(a)pyrene	Sample Measurement								
PARM Code 34247 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Benzo(b)fluoranthene (3,4-benzo)	Sample Measurement								
PARM Code 79531 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Benzo(ghi)perylene	Sample Measurement								
PARM Code 34521 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Benzo(k)fluoranthene	Sample Measurement								
PARM Code 34242 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Bis (2-chloroethoxy) methane	Sample Measurement								
PARM Code 34278 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Bis (2-chloroethyl) ether	Sample Measurement								
PARM Code 34273 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Bis (2-chloroisopropyl) ether	Sample Measurement								
PARM Code 34283 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Bis (2-ethylhexyl) phthalate	Sample Measurement								
PARM Code 39100 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4-bromophenyl phenyl ether	Sample Measurement								
PARM Code 34636 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Butyl benzyl phthalate	Sample Measurement								
PARM Code 34292 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
2-chloronaphthalene	Sample Measurement								
PARM Code 34581 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4-chlorophenyl phenyl ether	Sample Measurement								
PARM Code 34641 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Chrysene	Sample Measurement								
PARM Code 34320 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Dibenzo (a,h) anthracene	Sample Measurement								
PARM Code 34556 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
1,2-dichlorobenzene	Sample Measurement								
PARM Code 34536 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
1,3-dichlorobenzene	Sample Measurement								
PARM Code 34566 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
1,4-dichlorobenzene	Sample Measurement								
PARM Code 34571 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
3,3'-dichlorobenzidine	Sample Measurement								
PARM Code 34631 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Diethyl phthalate	Sample Measurement								
PARM Code 34336 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Dimethyl phthalate	Sample Measurement								
PARM Code 34341 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Di-n-butyl phthalate	Sample Measurement								
PARM Code 39110 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
2,4-dinitrotoluene	Sample Measurement								
PARM Code 34611 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
2,6-dinitrotoluene	Sample Measurement								
PARM Code 34626 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Di-n-octyl phthalate	Sample Measurement								
PARM Code 34596 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
1,2-diphenylhydrazine	Sample Measurement								
PARM Code 34346 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Fluoranthene	Sample Measurement								
PARM Code 34376 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Fluorene	Sample Measurement								
PARM Code 34381 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Hexachlorobenzene	Sample Measurement								
PARM Code 39700 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Hexachlorobutadiene	Sample Measurement								
PARM Code 39702 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Hexachlorocyclopentadiene	Sample Measurement								
PARM Code 34386 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Hexachloroethane	Sample Measurement								
PARM Code 34396 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Indeno (1,2,3-Cd) pyrene	Sample Measurement								
PARM Code 34403 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Isophorone	Sample Measurement								
PARM Code 34408 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Naphthalene	Sample Measurement								
PARM Code 34696 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Nitrobenzene	Sample Measurement								
PARM Code 34447 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
N-nitrosodimethylamine	Sample Measurement								
PARM Code 34438 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
N-nitrosodi-n-propylamine	Sample Measurement								
PARM Code 34428 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
N-nitrosodiphenylamine	Sample Measurement								
PARM Code 34433 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Phenanthrene	Sample Measurement								
PARM Code 34461 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Pyrene	Sample Measurement								
PARM Code 34469 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
1,2,4-trichlorobenzene	Sample Measurement								
PARM Code 34551 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Aldrin	Sample Measurement								
PARM Code 39330 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Alpha-bhc	Sample Measurement									
PARM Code 39336 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
B-bhc-beta	Sample Measurement									
PARM Code 39338 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Gamma BHC (Lindane)	Sample Measurement									
PARM Code 39782 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Delta benzene hexachloride	Sample Measurement									
PARM Code 34259 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Chlordane (tech mix. and metabolites)	Sample Measurement									
PARM Code 39350 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4,4'-DDT (p,p'-DDT)	Sample Measurement									
PARM Code 39300 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4,4'-DDE (p,p'-DDE)	Sample Measurement									
PARM Code 39320 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
4,4'-DDD (p,p'-DDD)	Sample Measurement									
PARM Code 39310 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Dieldrin	Sample Measurement									
PARM Code 39380 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
A-endosulfan-alpha	Sample Measurement									
PARM Code 34361 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC



**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
B-endosulfan-beta	Sample Measurement								
PARM Code 34356 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Endosulfan sulfate	Sample Measurement								
PARM Code 34351 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Endrin	Sample Measurement								
PARM Code 39390 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Endrin aldehyde	Sample Measurement								
PARM Code 34366 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Heptachlor	Sample Measurement								
PARM Code 39410 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
Heptachlor epoxide	Sample Measurement								
PARM Code 39420 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
PCB-1242	Sample Measurement								
PARM Code 39496 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
PCB-1254	Sample Measurement								
PARM Code 39504 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
PCB-1221	Sample Measurement								
PARM Code 39488 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC
PCB-1232	Sample Measurement								
PARM Code 39492 Mon.Site No. PRT-E	1 Permit Requirement				Report (An.Avg.)	Report (Max.)	UG/L	Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
PCB-1248	Sample Measurement								
PARM Code 39500 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
PCB-1260	Sample Measurement								
PARM Code 39508 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
PCB-1016	Sample Measurement								
PARM Code 34671 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Toxaphene	Sample Measurement								
PARM Code 39400 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Antimony, Total Recoverable	Sample Measurement								
PARM Code 01268 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Arsenic, Total Recoverable	Sample Measurement								
PARM Code 00978 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Beryllium, Total Recoverable	Sample Measurement								
PARM Code 00998 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Cadmium, Total Recoverable	Sample Measurement								
PARM Code 01113 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Chromium, Total Recoverable	Sample Measurement								
PARM Code 01118 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Copper, Total Recoverable	Sample Measurement								
PARM Code 01119 Mon.Site No. PRT-E	1 Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-E

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Lead, Total Recoverable	Sample Measurement								
PARM Code 01114 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Mercury, Total Recoverable	Sample Measurement								
PARM Code 71901 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Nickel, Total Recoverable	Sample Measurement								
PARM Code 01074 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Selenium, Total Recoverable	Sample Measurement								
PARM Code 00981 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Silver, Total Recoverable	Sample Measurement								
PARM Code 01079 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Thallium, Total Recoverable	Sample Measurement								
PARM Code 00982 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Zinc, Total Recoverable	Sample Measurement								
PARM Code 01094 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	16-hr. FPC
Cyanide, Total Recoverable	Sample Measurement								
PARM Code 78248 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period
Phenolic Compounds, Total Recoverable	Sample Measurement								
PARM Code 70029 1 Mon.Site No. PRT-E	Permit Requirement			Report (An.Avg.)	Report (Max.)	UG/L		Annual	4 grabs/16 hr.period

**DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A**

**When Completed mail this report to:** Department of Environmental Protection, Wastewater Compliance Evaluation Section, MS 3540, 2600 Blair Stone Road, Tallahassee, FL 32399-2400

PERMITTEE NAME: City of Lake City Regional Utility  
 MAILING ADDRESS: 205 N. Marion Ave.  
 Lake City, Florida 32055

PERMIT NUMBER: FLA113956

LIMIT: Final  
 CLASS SIZE: N/A

REPORT: Annual  
 GROUP: Domestic

FACILITY: St. Margaret WWTF  
 LOCATION: 527 St. Margaret Street  
 Lake City, Florida 32025

MONITORING GROUP NUMBER: PRT-R  
 MONITORING GROUP DESC: Residuals Pretreatment

COUNTY: Columbia

NO DISCHARGE FROM SITE:   
 MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading	Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Arsenic Total, Dry Weight, Sludge	Sample Measurement									
PARM Code 49565 + Mon.Site No. PRT-R	Permit Requirement			Report (An.Avg.Max)	Report (Max.)		mg/kg		Annually	Composite
Cadmium, Sludge, Tot. Dry Wt. (Cd)	Sample Measurement									
PARM Code 78476 + Mon.Site No. PRT-R	Permit Requirement			Report (An.Avg.Max)	Report (Max.)		mg/kg		Annually	Composite
Copper, Sludge, Tot, Dry Wt. (as Cu)	Sample Measurement									
PARM Code 78475 + Mon.Site No. PRT-R	Permit Requirement			Report (An.Avg.Max)	Report (Max.)		mg/kg		Annually	Composite
Lead, Dry Weight	Sample Measurement									
PARM Code 78468 + Mon.Site No. PRT-R	Permit Requirement			Report (An.Avg.Max)	Report (Max.)		mg/kg		Annually	Composite
Mercury, Dry Weight	Sample Measurement									
PARM Code 78471 + Mon.Site No. PRT-R	Permit Requirement			Report (An.Avg.Max)	Report (Max.)		mg/kg		Annually	Composite
Molybdenum, Dry Weight	Sample Measurement									
PARM Code 78465 + Mon.Site No. PRT-R	Permit Requirement			Report (An.Avg.Max)	Report (Max.)		mg/kg		Annually	Composite

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

**DISCHARGE MONITORING REPORT - PART A (Continued)**

FACILITY: St. Margaret WWTF

MONITORING GROUP NUMBER: PRT-R

PERMIT NUMBER: FLA113956

MONITORING PERIOD From: \_\_\_\_\_ To \_\_\_\_\_

Parameter		Quantity or Loading		Units	Quality or Concentration			Units	No. Ex.	Frequency of Analysis	Sample Type
Nickel, Dry Weight	Sample Measurement										
PARM Code 78469 + Mon.Site No. PRT-R	Permit Requirement				Report (An.Avg.Max)	Report (Max.)		mg/kg		Annually	Composite
Selenium Sludge Solid	Sample Measurement										
PARM Code 61518 + Mon.Site No. PRT-R	Permit Requirement				Report (An.Avg.Max)	Report (Max.)		mg/kg		Annually	Composite
Zinc, Dry Weight	Sample Measurement										
PARM Code 78467 + Mon.Site No. PRT-R	Permit Requirement				Report (An.Avg.Max)	Report (Max.)		mg/kg		Annually	Composite