ADDENDUM #3 TO SPECIFICATION AND CONTRACT DOCUMENTS

August 19, 2014

TO: ALL PLAN HOLDERS

FOR: ITB-028-2014

Pipe, Pipe Fittings & Materials – Bascom Norris Water Main

This addendum sets forth changes and/or additional information as referenced and is hereby made a part of and should be attached to the subject Specifications and Contract Documents.

Contractor must acknowledge receipt of all addenda with bid proposal on the form provided herein.

The purpose of addenda #3 is to respond to additional questions received and to supply replacement pages. Changes are noted in "RED" PLEASE REMOVE PAGES 5 THROUGH 9 TITLED "SPECIFICATIONS" IN THE ORIGINAL SOLICITATION AND REPLACE WITH THE ATTACHED PAGES.

Question 1: Item A1. 12" WATER Pipe only comes in 20 foot lengths. Your quantity is not in 20 foot increments.

Answer: Change quantity to 5540 LF or 277 sticks.

Question 2: Item B9: Will the city be supplying the meter? If not, do you have any specification

on this?

Answer: The City will provide the meter.

Question 3: Item B15: Will the city be supplying the meter?

Answer: Delete item B15. The City will provide a Fire Hydrant meter in lieu of the

jumper connection.

Question 4: Item B22: Can you send me a detail on your sample point connections?

Answer: See Water Service Connection Detail – Fig 405.

Question 5: Item C1: Wire comes in 500 ft reels. Do you want a reel price or a linear foot?

Answer: Reel price is acceptable. (23 – 500 foot reels)

Question 6: Item C2: Detectable Tape comes in 1000 ft reels. Do you want a reel price or

linear foot?

Answer: Reel price is acceptable. (6 - 1000 foot reels)

No. 1 Dated	
Signature:	
No. 2 Dated	
Signature:	
No. 3 Dated	
Signature:	

THIS FORM MUST BE INCLUDED WITH BID PROPOSAL

"SPECIFICATIONS"

ITEM I: PIPE, PIPE FITTINGS AND MATERIALS

A.	PIPE:	
	1.	12" WATER PIPE, C900 PVC DR18, BELL AND SPIGOT, BLUE IN COLOR.
		a. Quantity – five thousand five hundred and forty linear feet (5540 lf).
		\$per ft.
	1.	12" WATER PIPE, DUCTILE IRON, 0.28 W.T., ANSI/AWWA C150/A 21.50, CEMENT LINING C104/A21.4, FLEXIBLE RESTRAINED JOINT FOR HDD APPLICATION, 20FT PIPE, WITH CORROSION PROTECTIVE PE WRAP.
		a. Quantity – nine hundred linear feet (900 lf).
		\$per ft.
В.	PIPE :	FITTINGS:
	1.	12" M.J. (MECHANICAL JOINT) RESILIENT WEDGE GATE VALVE AWWA C509, FEDERAL SPECIFICATIONS W-W-V-58B FOR TYPE II, CLASS 1 VALVE, (MJXMJ).
		a. Quantity – eight (8)
		\$each
	2.	12" PVC Plug, DR18, water.
		a. Quantity – one (1)
		\$each
	3.	12" CLDIP, 90° FITTINGS, WATER (MJXMJ)
		a. Quantity – four (4).
		\$ each \$ total

a.	Quantity - four (4).			
\$		_each	\$	tota
12"(CLDIP, LONG OFFSE	ET FITT	ING, WATER (MJXMJ)	
a.	Quantity - two (2).			
\$		_each	\$	total
12"	CLDIP, 11.25° FITTIN	IGS, W	ATER (MJXMJ)	
a.	Quantity –four (4).			
\$		_each	\$	tota
	X 12" NEOPRENE EN D 12" DR18 FPVC CA		LS (FOR 16" DR25 FPVC CAS PIPE)	ING
			•	ING
ANI a.	O 12" DR18 FPVC CA Quantity – four (4).	RRIER	•	
ANI a. \$	O 12" DR18 FPVC CA Quantity – four (4).	RRIER _each	PIPE)	
ANI a. \$	O 12" DR18 FPVC CA Quantity – four (4).	RRIER _each VE FOR	PIPE) \$	
ANI a. \$	O 12" DR18 FPVC CA Quantity – four (4). CLDIP, SOLID SLEE Quantity – eight (8)	RRIER _each VE FOR	PIPE) \$	tota
ANI a. \$ 12" (a. \$ 2" W	Quantity – four (4). CLDIP, SOLID SLEE Quantity – eight (8)	RRIER _each VE FOReach	PIPE) \$ PVC PIPE, WATER (MJXMJ)	total
ANI a. \$ 12" (a. \$ 2" W	Quantity – four (4). CLDIP, SOLID SLEEY Quantity – eight (8) X 2" SST TAPPING S VATER SERVICE WI	RRIER _each VE FOReach	PIPE) \$ PVC PIPE, WATER (MJXMJ) \$ E, FL OUTLET [WATER SERV	total

a. Quantity – twe	nty linear feet (2	20 lf)	
\$	each	\$	tota
2" TAPPING VAL	VE (FLXMJ)		
a. Quantity – one	(1)		
\$	each	\$	tota
12" MEGALUG R	ESTRAINT GL	AND, PVC PIPE +	- ACCESSORY KIT
a. Quantity – forty	y (40)		
\$	each	\$	tota
12" MEGALUG R	ESTRAINT GL	AND, DI PIPE + A	ACCESSORY KIT
b. Quantity – two	(2)		
\$	each	\$	tota
6" X 12" BLOWO	FF ASSEMBLY	, PER STANDAR	D DETAIL
c. Quantity – two	(2)		
\$	each	\$	tota
12" X 12" JUMPI	ER CONNECTI	ON PER STANDA	ARD DETAIL
d. Quantity – one	(1) delete item	L	

12" E.	XTERNAL BELL RESTRAII	NTS, PVC	
a.	Quantity – twenty five (25)		
\$	each	\$	total
ARV .	ASSEMBLY FOR 12" PVC I	PER STANDARD DETAIL	
a.	Quantity – one (1)		
\$	each	\$	total
2 PIE	HROUGH 37" ASSEMBLY I CES FOR 4" THROUGH 12" , WATER LIDS, <u>+</u> Sta. 172+	VALVES, 5 1/4" SHAFT, S	
a.	Quantity – one (1)		
\$	each	\$	total
a.	Quantity – two (2)		
\$	each	\$	total
2 PIE	HROUGH 50" ASSEMBLY I CES FOR 4" THROUGH 12" , WATER LIDS, <u>+</u> Sta. 134+ Quantity – five (5)	VALVES, 5 1/4" SHAFT, S	CREW
\$	each	\$	total
2 PIE	HROUGH 60" ASSEMBLY 1 CES FOR 4" THROUGH 12" , WATER LIDS, <u>+</u> Sta. 109+: Quantity – one (1)	VALVES, 5 1/4" SHAFT, S	

CE DETAIL W/SMOOTH		TS FOR 12" PVC F FLOW STRAIGH		22.	
		- eight (8)	a. Quantity		
total	\$	each	\$		
			TERIALS	MAT	C.
LE STRAND AT OT,	,	, #10 GAUGE COI ND INSTALL AT		1.	
and sixty-five linear feet		–eleven thousand the f). (23 – 500 ft ree			
total	\$	each	\$		
ION BURIED WATER	PE, "CAUTI		UNDERGROU LINE BELOW	2.	
d forty five linear feet		-five thousand five (6 – 1000 ft reels)	•		
total	\$	each	\$		